

New Brunswick Clean Water Results Latimer Lake Raw Water (Source 4)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		8
Total Hardness (as CaCO3)	mg/L		12
Aluminum	µg/L		29
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	< 10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		3.7
Chloride	mg/L		7.0
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		52
Lead	µg/L	5	<1
Magnesium	mg/L		0.7
Manganese	µg/L	120	7
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			6.73
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		4.1
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.61
Uranium	µg/L	20	<0.5
Zinc	µg/L		<2

New Brunswick Clean Water Results Latimer Lake Treated Water (Source 4)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		18.0
Bromodichloromethane	µg/L		3.1
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	21.0
Trichloroacetic acid	µg/L		13.9
Dichloroacetic acid	µg/L		12.3
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	26.2

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO ₃)	mg/L		32
Total Hardness (as CaCO ₃)	mg/L		17
Aluminum	µg/L		10
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.0
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		8
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO ₃)	mg/L	45	<0.2
pH			7.26
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.2
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.15
Uranium	µg/L	20	<0.5
Zinc	µg/L		84

**New Brunswick Clean Water Results
Operations Complex (Zone 4)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		41.0
Bromodichloromethane	µg/L		5.4
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	47.0
Trichloroacetic acid	µg/L		27.8
Dichloroacetic acid	µg/L		22.1
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	49.9

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		29
Total Hardness (as CaCO3)	mg/L		17
Aluminum	µg/L		18
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.0
Chloride	mg/L		10.6
Chromium	µg/L	50	<1
Copper	µg/L	2000	21
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		129
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.34
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.2
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.31
Uranium	µg/L	20	<0.5
Zinc	µg/L		51

**New Brunswick Clean Water Results
36 Park Drive (Zone 24)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		44.0
Bromodichloromethane	µg/L		6.4
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	50.0
Trichloroacetic acid	µg/L		28.8
Dichloroacetic acid	µg/L		20.9
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		2.1
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	51.9

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		32
Total Hardness (as CaCO3)	mg/L		17
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.0
Chloride	mg/L		10.1
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		15
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.21
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		12.8
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.27
Uranium	µg/L	20	<0.5
Zinc	µg/L		79

**New Brunswick Clean Water Results
Lakewood Pump Station, Line #2 (Zone 18)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		18.0
Bromodichloromethane	µg/L		3.6
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	22.0
Trichloroacetic acid	µg/L		14.7
Dichloroacetic acid	µg/L		13.2
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	27.9

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		31
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		9
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.4
Chloride	mg/L		10.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.33
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		13.0
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.17
Uranium	µg/L	20	<0.5
Zinc	µg/L		86

**New Brunswick Clean Water Results
Ryerson Metals (Zone 7)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		25.0
Bromodichloromethane	µg/L		4.3
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	29.0
Trichloroacetic acid	µg/L		20.3
Dichloroacetic acid	µg/L		15.5
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	35.8

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		31
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		8
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.5
Chloride	mg/L		10.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		4
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.50
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		13.0
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.19
Uranium	µg/L	20	<0.5
Zinc	µg/L		74

**New Brunswick Clean Water Results
University Avenue Pumping Station (Zone 15)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		26.0
Bromodichloromethane	µg/L		4.6
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	31.0
Trichloroacetic acid	µg/L		21.2
Dichloroacetic acid	µg/L		16.3
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	37.5

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		30
Total Hardness (as CaCO3)	mg/L		17
Aluminum	µg/L		7
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.7
Chloride	mg/L		10.4
Chromium	µg/L	50	<1
Copper	µg/L	2000	9
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.29
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		12.8
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.18
Uranium	µg/L	20	<0.5
Zinc	µg/L		70

**New Brunswick Clean Water Results
Kennebecasis Drive (Zone 10)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		35.0
Bromodichloromethane	µg/L		5.5
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	41.0
Trichloroacetic acid	µg/L		25.6
Dichloroacetic acid	µg/L		16.1
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	41.7

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		33
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		8
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.5
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.59
Potassium	mg/L		0.5
Selenium	µg/L	50	<2
Sodium	mg/L		13.3
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.18
Uranium	µg/L	20	<0.5
Zinc	µg/L		58

**New Brunswick Clean Water Results
Millidgeville WWTP (Zone 25)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		28.0
Bromodichloromethane	µg/L		4.8
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	33.0
Trichloroacetic acid	µg/L		22.7
Dichloroacetic acid	µg/L		14.8
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	37.4

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		30
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		6
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.3
Chloride	mg/L		10.4
Chromium	µg/L	50	<1
Copper	µg/L	2000	28
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.28
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		12.9
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.29
Uranium	µg/L	20	<0.5
Zinc	µg/L		54

New Brunswick Clean Water Results Harris & Roome (Zone 22)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		29.0
Bromodichloromethane	µg/L		4.7
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	34.0
Trichloroacetic acid	µg/L		22.1
Dichloroacetic acid	µg/L		16.2
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	38.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		34
Total Hardness (as CaCO3)	mg/L		17
Aluminum	µg/L		11
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.0
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		13
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.35
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.6
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.19
Uranium	µg/L	20	<0.5
Zinc	µg/L		68

New Brunswick Clean Water Results Champlain Heights Pump Station (Zone 13)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		19.0
Bromodichloromethane	µg/L		3.6
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	23.0
Trichloroacetic acid	µg/L		16.0
Dichloroacetic acid	µg/L		12.8
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	28.8

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		31
Total Hardness (as CaCO3)	mg/L		17
Aluminum	µg/L		14
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.9
Chloride	mg/L		10.4
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		12
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.36
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.3
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.21
Uranium	µg/L	20	<0.5
Zinc	µg/L		90

New Brunswick Clean Water Results Somerset Street Pump Station (Zone 16)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		24.0
Bromodichloromethane	µg/L		4.2
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	28.0
Trichloroacetic acid	µg/L		20.3
Dichloroacetic acid	µg/L		15.0
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	35.2

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		31
Total Hardness (as CaCO3)	mg/L		18
Aluminum	µg/L		7
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.2
Chloride	mg/L		10.7
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.7
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.29
Potassium	mg/L		0.6
Selenium	µg/L	50	<2
Sodium	mg/L		13.3
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.15
Uranium	µg/L	20	<0.5
Zinc	µg/L		77

New Brunswick Clean Water Results Fairville Boulevard Subway (Zone 34)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		30.0
Bromodichloromethane	µg/L		5.1
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	35.0
Trichloroacetic acid	µg/L		21.3
Dichloroacetic acid	µg/L		16.7
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	38.0

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		33
Total Hardness (as CaCO3)	mg/L		19
Aluminum	µg/L		46
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.3
Chloride	mg/L		10.8
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		28
Lead	µg/L	5	<1
Magnesium	mg/L		0.8
Manganese	µg/L	120	81
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.29
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.9
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		1.02
Uranium	µg/L	20	<0.5
Zinc	µg/L		98

**New Brunswick Clean Water Results
Saint John Laboratory Services (Zone 35)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		37.0
Bromodichloromethane	µg/L		5.9
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	43.0
Trichloroacetic acid	µg/L		25.0
Dichloroacetic acid	µg/L		16.2
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	41.2

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		33
Total Hardness (as CaCO3)	mg/L		18
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.4
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	10
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		27
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.39
Potassium	mg/L		0.5
Selenium	µg/L	50	<2
Sodium	mg/L		13.9
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.23
Uranium	µg/L	20	<0.5
Zinc	µg/L		52

New Brunswick Clean Water Results Doiron's (Zone 9)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		29.0
Bromodichloromethane	µg/L		4.6
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	34.0
Trichloroacetic acid	µg/L		20.1
Dichloroacetic acid	µg/L		15.7
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	35.8

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		32
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		12
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.5
Chloride	mg/L		10.4
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		52
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	21
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.52
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		13.2
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.52
Uranium	µg/L	20	<0.5
Zinc	µg/L		70

New Brunswick Clean Water Results Carleton Community Centre (Zone 2)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		29.0
Bromodichloromethane	µg/L		4.8
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	34.0
Trichloroacetic acid	µg/L		21.8
Dichloroacetic acid	µg/L		16.2
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	38.0

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		30
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		6
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.5
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		22
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.28
Potassium	mg/L		0.4
Selenium	µg/L	50	<2
Sodium	mg/L		13.5
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.17
Uranium	µg/L	20	<0.5
Zinc	µg/L		65

New Brunswick Clean Water Results Bridge Road (Zone 8)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		23.0
Bromodichloromethane	µg/L		3.6
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	26.0
Trichloroacetic acid	µg/L		20.5
Dichloroacetic acid	µg/L		13.0
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	33.5

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		33
Total Hardness (as CaCO3)	mg/L		18
Aluminum	µg/L		9
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		6.2
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.34
Potassium	mg/L		0.5
Selenium	µg/L	50	<2
Sodium	mg/L		13.8
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.19
Uranium	µg/L	20	<0.5
Zinc	µg/L		75

New Brunswick Clean Water Results Dunn Avenue (Zone 14)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		24.0
Bromodichloromethane	µg/L		4.2
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	29.0
Trichloroacetic acid	µg/L		18.4
Dichloroacetic acid	µg/L		16.0
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	34.4

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		32
Total Hardness (as CaCO3)	mg/L		16
Aluminum	µg/L		9
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	<10
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		5.3
Chloride	mg/L		10.5
Chromium	µg/L	50	<1
Copper	µg/L	2000	16
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		0.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	<0.2
pH			7.45
Potassium	mg/L		0.3
Selenium	µg/L	50	<2
Sodium	mg/L		13.4
Sulphate	mg/L		2
Thallium	µg/L		<1
Turbidity	NTU		0.21
Uranium	µg/L	20	<0.5
Zinc	µg/L		68

New Brunswick Clean Water Results Ocean Drive Well (Source 2)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		91
Total Hardness (as CaCO3)	mg/L		97
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	182
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		28.5
Chloride	mg/L		27.9
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		6.2
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	1.2
pH			7.95
Potassium	mg/L		1.4
Selenium	µg/L	50	<2
Sodium	mg/L		12.8
Sulphate	mg/L		7
Thallium	µg/L		<1
Turbidity	NTU		0.24
Uranium	µg/L	20	<0.5
Zinc	µg/L		<2

New Brunswick Clean Water Results Seaward Crescent Well (Source 3)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		97
Total Hardness (as CaCO3)	mg/L		107
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	255
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		34.9
Chloride	mg/L		12.9
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		4.7
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	1.2
pH			7.97
Potassium	mg/L		1.1
Selenium	µg/L	50	<2
Sodium	mg/L		8.4
Sulphate	mg/L		6
Thallium	µg/L		<1
Turbidity	NTU		0.28
Uranium	µg/L	20	<0.5
Zinc	µg/L		<2

New Brunswick Clean Water Results Aberdeen Street (Zone 29)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		97
Total Hardness (as CaCO3)	mg/L		124
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	252
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		41.7
Chloride	mg/L		13.6
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		4.9
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	1.1
pH			7.96
Potassium	mg/L		1.7
Selenium	µg/L	50	<2
Sodium	mg/L		11.1
Sulphate	mg/L		6
Thallium	µg/L		<1
Turbidity	NTU		0.22
Uranium	µg/L	20	<0.5
Zinc	µg/L		<2

New Brunswick Clean Water Results Eden Street (Zone 28)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		95
Total Hardness (as CaCO3)	mg/L		113
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	209
Boron	µg/L	5000	<10
Cadmium	µg/L	7	<0.02
Calcium	mg/L		35.6
Chloride	mg/L		24.2
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		5
Lead	µg/L	5	<1
Magnesium	mg/L		5.9
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	1.2
pH			8.13
Potassium	mg/L		1.0
Selenium	µg/L	50	<2
Sodium	mg/L		12.4
Sulphate	mg/L		6
Thallium	µg/L		<1
Turbidity	NTU		0.32
Uranium	µg/L	20	<0.5
Zinc	µg/L		<2

New Brunswick Clean Water Results Fundy Linen, Spruce Lake Industrial Park (Zone 6)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.52
Bromodichloromethane	µg/L		0.47
Dibromochloromethane	µg/L		1.2
Bromoform	µg/L		0.97
Total Trihalomethanes	µg/L	100	3.1
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		157
Total Hardness (as CaCO3)	mg/L		216
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	86
Boron	µg/L	5000	52
Cadmium	µg/L	7	<0.02
Calcium	mg/L		66.1
Chloride	mg/L		76.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		4
Lead	µg/L	5	<1
Magnesium	mg/L		12.3
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			8.16
Potassium	mg/L		2.8
Selenium	µg/L	50	<2
Sodium	mg/L		25.7
Sulphate	mg/L		41
Thallium	µg/L		<1
Turbidity	NTU		0.22
Uranium	µg/L	20	3.3
Zinc	µg/L		61

New Brunswick Clean Water Results Ridgewood Lift Station (Zone 3)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.61
Bromodichloromethane	µg/L		1.1
Dibromochloromethane	µg/L		2.9
Bromoform	µg/L		2.3
Total Trihalomethanes	µg/L	100	6.8
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		157
Total Hardness (as CaCO3)	mg/L		222
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	87
Boron	µg/L	5000	54
Cadmium	µg/L	7	<0.02
Calcium	mg/L		68.9
Chloride	mg/L		76.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	15
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		12.1
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			8.06
Potassium	mg/L		3.0
Selenium	µg/L	50	<2
Sodium	mg/L		25.5
Sulphate	mg/L		41
Thallium	µg/L		<1
Turbidity	NTU		0.29
Uranium	µg/L	20	3.2
Zinc	µg/L		51

New Brunswick Clean Water Results Travelodge Suites (Zone 20)			
Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.62
Bromodichloromethane	µg/L		0.86
Dibromochloromethane	µg/L		2.2
Bromoform	µg/L		1.8
Total Trihalomethanes	µg/L	100	5.4
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Haloacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		160
Total Hardness (as CaCO3)	mg/L		243
Aluminum	µg/L		10
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	91
Boron	µg/L	5000	59
Cadmium	µg/L	7	<0.02
Calcium	mg/L		75.8
Chloride	mg/L		76.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		10
Lead	µg/L	5	<1
Magnesium	mg/L		13.0
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			7.92
Potassium	mg/L		3.6
Selenium	µg/L	50	<2
Sodium	mg/L		27.0
Sulphate	mg/L		43
Thallium	µg/L		<1
Turbidity	NTU		0.18
Uranium	µg/L	20	3.4
Zinc	µg/L		61

**New Brunswick Clean Water Results
Churchill Heights Tank (Zone 21)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.61
Bromodichloromethane	µg/L		1.1
Dibromochloromethane	µg/L		2.7
Bromoform	µg/L		2.0
Total Trihalomethanes	µg/L	100	6.5
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		160
Total Hardness (as CaCO3)	mg/L		223
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	90
Boron	µg/L	5000	51
Cadmium	µg/L	7	<0.02
Calcium	mg/L		68.4
Chloride	mg/L		76.7
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		12.7
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			7.98
Potassium	mg/L		3.1
Selenium	µg/L	50	<2
Sodium	mg/L		26.6
Sulphate	mg/L		42
Thallium	µg/L		<1
Turbidity	NTU		0.24
Uranium	µg/L	20	3.2
Zinc	µg/L		59

**New Brunswick Clean Water Results
Southbay Well #1 (Source 5)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.35
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		142
Total Hardness (as CaCO3)	mg/L		223
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	64
Boron	µg/L	5000	20
Cadmium	µg/L	7	<0.02
Calcium	mg/L		69.5
Chloride	mg/L		84.1
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		92
Lead	µg/L	5	<1
Magnesium	mg/L		12.1
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	1.1
pH			8.18
Potassium	mg/L		2.7
Selenium	µg/L	50	<2
Sodium	mg/L		26.4
Sulphate	mg/L		32
Thallium	µg/L		<1
Turbidity	NTU		0.21
Uranium	µg/L	20	2.9
Zinc	µg/L		<2

**New Brunswick Clean Water Results
Southbay Well #2 (Source 6)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		0.81
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	0.81
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		134
Total Hardness (as CaCO3)	mg/L		218
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	67
Boron	µg/L	5000	23
Cadmium	µg/L	7	<0.02
Calcium	mg/L		69.9
Chloride	mg/L		72.9
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		10.6
Manganese	µg/L	120	<2
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			8.13
Potassium	mg/L		2.8
Selenium	µg/L	50	<2
Sodium	mg/L		23.1
Sulphate	mg/L		29
Thallium	µg/L		<1
Turbidity	NTU		0.22
Uranium	µg/L	20	2.5
Zinc	µg/L		<2

**New Brunswick Clean Water Results
Southbay Well #3 (Source 7)**

Organic Parameters:	Units	Health Advisory Limit	April 11 2022
1,2-Dichlorobenzene	µg/L	200	< 0.41
1,2-Dichloroethane	µg/L	5	< 0.35
1,4-Dichlorobenzene	µg/L	5	< 0.36
Benzene	µg/L	5	< 0.32
Benzo[a]pyrene	µg/L	0.04	< 0.01
Carbon tetrachloride	µg/L	2	< 0.17
Dichloromethane	µg/L	50	< 0.35
Ethylbenzene	µg/L	140	< 0.33
Total Xylenes	µg/L	90	< 0.43
Pentachlorophenol	µg/L	60	< 5
Tetrachloroethylene	µg/L	10	< 0.35
Toluene	µg/L	60	< 0.36
Trichloroethylene	µg/L	5	< 0.44
Vinyl chloride	µg/L	2	< 0.17
Chloroform	µg/L		< 0.29
Bromodichloromethane	µg/L		< 0.26
Dibromochloromethane	µg/L		< 0.37
Bromoform	µg/L		< 0.34
Total Trihalomethanes	µg/L	100	< 0.37
Trichloroacetic acid	µg/L		< 5.3
Dichloroacetic acid	µg/L		< 2.6
Monochloroacetic acid	µg/L		< 4.7
Bromochloroacetic acid	µg/L		< 2.0
Monobromoacetic acid	µg/L		< 2.9
Dibromoacetic acid	µg/L		< 2.0
Halooacetic acids 6 / HAA6	µg/L	80	< 5.3

Inorganic Parameters:	Units	Health Advisory Limit	April 11 2022
Alkalinity (as CaCO3)	mg/L		201
Total Hardness (as CaCO3)	mg/L		301
Aluminum	µg/L		<5
Antimony	µg/L	6	<2
Arsenic	µg/L	10	<1
Barium	µg/L	2000	136
Boron	µg/L	5000	121
Cadmium	µg/L	7	<0.02
Calcium	mg/L		92.5
Chloride	mg/L		69.3
Chromium	µg/L	50	<1
Copper	µg/L	2000	<1
Fluoride	mg/L	1.5	<0.2
Iron	µg/L		<2
Lead	µg/L	5	<1
Magnesium	mg/L		17.0
Manganese	µg/L	120	11
Mercury	µg/L	1	<0.02
Nitrate (as NO3)	mg/L	45	0.8
pH			8.12
Potassium	mg/L		3.7
Selenium	µg/L	50	<2
Sodium	mg/L		28.3
Sulphate	mg/L		61
Thallium	µg/L		<1
Turbidity	NTU		0.21
Uranium	µg/L	20	4.5
Zinc	µg/L		<2