

TRANSMITTAL SHEET

TO: All Bidders

DATE: March 26, 2025

TOTAL NUMBER OF PAGES (INCLUDING COVER PAGE): 4

FROM: Rod Mahaney TEL. #: (506) 658-4470
Utilities & Infrastructure Services

IF YOU DID NOT RECEIVE ALL PAGES, OR FURTHER INFORMATION IS REQUIRED,
PLEASE CONTACT THE SENDER

MESSAGE:

TENDER NO: 2025-12

Asphalt Resurfacing 2025

Please find attached a copy of **Addendum #1** for the above tender.

As of March 2021, please be advised that an ***Acknowledgement Form*** (historically sent as part of the City's addendum packages) confirming receipt of an Addendum is **no longer** included in the addendum package.

However, in accordance with Section 2.5.03 of the City's General Specifications, it remains a requirement that **each Addendum** will contain a signature page(s) which each Tenderer is **required to sign and include with its Tender submission.**



UTILITIES & INFRASTRUCTURE SERVICES
Engineering Services
175 Rothesay Avenue
Saint John, NB, E2J 2B4

ADDENDUM

PROJECT TITLE:

ASPHALT RESURFACING 2025

ADDENDUM NO: 1

DATE: MARCH 26, 2025

PAGE: 1 **OF** 3

TENDER NO: 2025-12

MAKE THE FOLLOWING MODIFICATIONS TO THE ABOVE PROJECT. INCLUDE IN THE AMOUNT OF THE TENDER ANY ADDITIONS TO OR DEDUCTIONS FROM THE COST OF THE WORK BY REASON OF THESE INSTRUCTIONS. THE DATE FOR RECEIVING TENDERS REMAINS AT: **2:30:00 PM, TUESDAY, APRIL 8, 2025.**

ADJUSTMENTS TO THE SPECIFICATIONS

Division 2 – Submission of Tender

The City of Saint John is implementing adjustments to the tender submission procedure as follows:

Section 2.6.01 Location of Tender Box for the Submission of Tender

175 Rothesay Avenue, Saint John, New Brunswick

The tender box will be available at the main building entrance for submission of tenders by the Tenderer between the hours of 9:30 am and 2:30:00 pm only on the above tender closing date.

There will not be a public tender opening. Registered Bidders will receive an email invitation to view the Tender Opening using Microsoft Teams software. Email invitations will be sent to the address provided on the Official Bidder's List. The Tender Opening Committee will conduct the evaluation of the tenders and Compliant tenders will be included in the summary of bids on the City's Tenders & Proposals website within 1 business day following the tender closing.

Division 3 – Particular Specifications

Section 3.1.09 Asphalt Cold Milling

Add the following to the existing section:

The contractor shall not be permitted to use the RAP from the following streets to prepare the asphalt mix for any City work, as it is contaminated with RAS.

- Byron Street
- Clearview Row
- Gerard Street
- Metcalf Street
- Parkhill Drive
- Wildwood Street

ADJUSTMENTS TO DIVISION 4 - FORM OF TENDER

In the Contract Specifications, Division 4 – Form of Tender, Section 4.5 (Schedule of Quantities and Unit Prices) replace the following sheet:

- Sheet 5 of 5 with the attached Sheet 5 of 5.

Please see the following responses to questions received:

Q1: Regarding liquidated damages, do weather days get incorporated into the days when assessing a penalty on a given segment? For instance, if it rains a week are we given additional days?

A1: If bad weather causes delays, the contractor must request an extension and provide evidence to the Engineer on why work could not be completed. If the Engineer agrees that the delay was due to circumstances beyond the contractor's control (such as bad weather), the schedule may be adjusted. However, there is no automatic exemption from the penalties for delays due to weather unless explicitly granted by the Engineer in writing, recognizing that some contract work may or may not be affected by bad weather.

Note: Signed copy of the addendum **must** be enclosed in the tender documents, according to the Instructions to Tenderers and Tendering Procedures in Division 2 of the Contract Specifications.

BY:



CHIEF CITY ENGINEER

CONTRACTOR'S SIGNATURE

TO BE SIGNED AND ATTACHED TO TENDER DOCUMENTS

**DIVISION 4
SCHEDULE OF QUANTITIES AND UNIT PRICES**

**UNIT PRICE TO BE EITHER
TYPEWRITTEN OR PRINTED IN
INK IN WORDS AND PRINTED
NUMERICALLY**

**CONTRACT NUMBER 2025-12
TITLE: ASPHALT RESURFACING 2025**

ITEM NO.	DESCRIPTION	DIV. NO.	UNIT	EST. QTY.	UNIT BID PRICE		TOTAL (\$)
					WRITTEN	NUMERICAL	
4	<u>Place and Compact Granular Shouldering Material</u>		m ³	1,070			
5	<u>Landscaping - Supply & Place</u> a) Nursery Sod (minimum thickness 40mm c/w 100 mm Topsoil)	26	m ²	9,790			
6	<u>Speed Cushions - Supply & Place</u>	3	Each	84			
7	<u>Contingency</u>	2.6.03	LS	1	Four Hundred Fifty Two Thousand Dollars and Zero Cents	452,000.00	452,000.00
	AMOUNT "D" (ROADWORK)						
	SUBTOTAL (A + B + C+ D)						
	HARMONIZED SALES TAX (HST) 15 %						
	TOTAL INCLUDING HST						